



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The -1

OUT N OUT INFOTECH INDIA LLP

Amit Ashiyana, Gol Maidaan, Bhaji Market, Near Bhramakumari Ashram
Ulhasnagar 421002 -421002

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/427010/2023 dated 24 Apr 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|--|
| 1. EC Identification No. | EC23B039MH155525 |
| 2. File No. | SIA/MH/INFRA2/427010/2023 |
| 3. Project Type | New |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 8(b) Townships and Area Development
projects. |
| 6. Name of Project | Proposed Residential & Commercial
Development on land bearing S.No. 20/1,
20/2, 21/3, 21/4, 42/2, 44/1(pt), 44/2,
44/3, 44/20, 51/1, 51/2, 56/1, 56/2 at
Village Gharivali and S.No. 67/1 at village
Sagaon, Taluka Kalyan, District Thane by
M/s. Out N Out Infotech India LLP. |
| 7. Name of Company/Organization | OUT N OUT INFOTECH INDIA LLP |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 18/08/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/427010/2023
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Out N Out Infotech India LLP.,
S.No. 20/1, 20/2, 21/3, 21/4, 42/2, 44/1(pt),
44/2, 44/3, 44/20, 51/1, 51/2, 56/1, 56/2,
Village Gharivali and S.No. 67/1 at
Village Sagaon, Taluka Kalyan, District Thane.

Subject : Environment Clearance for Proposed Residential & Commercial Development on land bearing S.No. 20/1, 20/2, 21/3, 21/4, 42/2, 44/1(pt), 44/2, 44/3, 44/20, 51/1, 51/2, 56/1, 56/2 at Village Gharivali and S.No. 67/1 at village Sagaon, Taluka Kalyan, District Thane by M/s. Out N Out Infotech India LLP.

Reference : Application no. SIA/MH/INFRA2/427010/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 206th meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 262nd (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 12th July, 2023.

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details	
1	Proposal Number	SIA/MH/INFRA2/427010/2023	
2	Name of Project	Proposed Residential & Commercial Development on land bearing S.No. 20/1, 20/2, 21/3, 21/4, 42/2, 44/1(pt), 44/2, 44/3, 44/20, 51/1, 51/2, 56/1, 56/2 at Village Gharivali and S.No. 67/1 at village Sagaon, Taluka Kalyan, District Thane by M/s. Out N Out Infotech India LLP.	
3	Project category	8(b) B1	
4	Type of Institution	Private	
5	Project Proponent	Name	Mr. Umesh Kumar Upadhyay
		Regd. Office address	1701, Satra Plaza, Plot no. 19 & 20, Sector 19-D, Vashi, Navi Mumbai
		Contact number	9167216345
		e-mail	admin@paradisegroup.co.in
6	Consultant	Name: M/s. Enviro Analysts & Engineers Pvt. Ltd. NABET Accreditation No: NABET/EIA/2124/SA0193 Validity: 18/06/2024	

7	Applied for	Greenfield Project					
8	Location of the project	S.No. 20/1, 20/2, 21/3, 21/4, 42/2, 44/1(pt), 44/2, 44/3, 44/20, 51/1, 51/2, 56/1, 56/2 at Village Gharivali and S.No. 67/1 at village Sagaon, Taluka Kalyan, District Thane					
9	Latitude and Longitude	Latitude: 19°11'7.30"N Longitude: 73° 5'23.04"E					
10	Plot Area (Sq.m.)	66,794 Sq.m					
11	Deductions (Sq.m.)	29,957.23 sq.m.					
12	Net Plot area (Sq.m.)	36,836.77 Sq.m					
13	Ground coverage (m ²) & %						
14	FSI Area (Sq.m.)	2,54,544.01 sq.m					
15	Non-FSI (Sq.m.)	1,89,133.36 sq.m.					
16	Proposed built-up area (FSI + Non FSI) (Sq.m.)	4,43,677.37 sq.m.					
17	TBUA (m ²) approved by Planning Authority till date	Total area approved as per LOI dated 27/03/2023: FSI: 2,54,544.01 sq.m. Non-FSI: 1,89,133.36 sq.m. Total Construction Area: 4,43,677.37 sq.m					
18	Earlier EC details with Total Construction area, if any.	Not Applicable					
19	Construction completed as per earlier EC (FSI + Non FSI) (Sq.m.)	-					
20	Previous EC / Existing Building			Proposed Configuration		Reason for Modification / Change	
	Building Name	Configuration	Height (m)	Building Name	Configuration		Height (m)
				Tower 1	Basement+Gr.+1 ^s ^t to 5 th Podium+6 th to 35 th floor	113.1 5	
				Tower 2	Basement+Gr.+1 ^s ^t to 5 th Podium+6 th to 35 th floor	113.1 5	
			Tower 3	Basement+Gr.+1 ^s ^t to 5 th Podium+6 th to 35 th floor	113.1 5		

				Tower 4	Basement+Gr.+1 ^s ^t to 5 th Podium+6 th to 35 th floor	113.1 5	
				Tower 5	Basement+Gr.+1 ^s ^t to 5 th Podium+6 th to 32 nd floor	104.1 5	
				Tower 6	Basement+Gr.+1 ^s ^t to 5 th Podium+6 th to 32 nd floor	104.1 5	
				Tower 7	Basement+Gr.+1 ^s ^t to 5 th Podium+6 th to 32 nd floor	104.1 5	
				Tower 8	Basement+Gr.+1 ^s ^t to 5 th Podium+6 th to 35 th floor	113.1 5	
				Commercial Building 1 (Public Office)	Gr.+1 st to 8 th floor	38.90	
				Commercial Plaza	Basement + Gr. +1 st to 4 th floor	21.60	
				Commercial Building (Hotel)	5 th to 23 rd Floor	77.15	
21	No. of Tenements & Shops			Residential: 2058 nos. Commercial: Public Office Building, Commercial Plaza, Hotel Building			
22	Total Population			Total – 15,399 nos. (Residential: 10910 nos. Commercial: 4489 nos.)			
23	Total Water Requirements CMD			Domestic: 1173 KLD Flushing: 640 KLD Landscaping: 43 KLD Total: 1856 KLD			
24	Under Ground Tank (UGT) location			Below Ground & Basement			
25	Source of water			Kalyan-Dombivali Municipal Corporation			
26	STP Capacity & Technology			1910 KLD (Separate for Residential & Commercial), MBBR Technology			

27	STP Location	Ground			
28	Sewage Generation CMD & % of sewage discharge in the sewer line	1695 KLD, 40 % to be discharged in sewer line after using for flushing, landscaping, Miyawaki, road side plantation			
29	Solid Waste Management during Construction Phase	Type	Quantity (Kg/d)	Treatment / disposal	
		Dry waste	30 kg/day	Will be handed over to a recycler	
		Wet waste	20 kg/day	Handed over to municipal waste collector	
		Construction waste	Topsoil	5525 cu.m.	To be used for gardening purpose
			Excavation Waste	12000 cu.m.	We will use the nearly 50% (50000 cum) quantity in internal plot & road development and for Remaining quantity, SWM NOC will be obtained to send the debris to designated site
		Empty cement bags	26620 Nos.	To be handed over to local recyclers	
		Steel	45 MT	To be handed over to local recyclers	
		Aggregates	180 MT	To be used as a layer for internal roads and building boundary walls.	
		Broken Tiles	6365 sqm	Waste tiles to be used as china mosaics for terraces.	
Empty Paint	6655 nos	To be sold			

			Cans (20 liter/ can)	
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	Type	Quantity (Kg/d)	Treatment / disposal
		Dry waste	3812 kg/day	Will be handed over to a recycler
		Wet waste	2541 kg/day	Composting by OWC- manure produced will be used at a site for landscaping, 2 OWC of capacity 650 kg/day and 250 kg/day
		E-Waste	9944 kg/year	Will be collected and sent to MPCB authorized recyclers.
		STP Sludge (dry)	85 kg/day	Dry sewage sludge will be used as manure for gardening.
31	R.G. Area in sq.m.	RG required –3683.68 sq.m (10%) RG provided on Mother earth- 4756.92 sq. m. RG provided on the Podium -- sq.m. Total – 4756.92 sq.m.		
		Number of trees to be planted: a) Along Plot Boundary and R.G. area: 325 nos. b) In Miyawaki Plantation: 1800 trees + 600 shrubs (600 Sq.Mtrs.) All native trees to be planted, no palm trees will be planted Species diversity of 25-30 species		
32	Power requirement	During Operation Phase: Details: MSEDCL Connected load (kW): 20494 KW Demand load (kW): 9606 KW		
33	Energy Efficiency	a) Total Energy saving (%): 22% b) Solar energy (%): 5%		
34	D.G. set capacity	3 X 990 KVA 1 X 300 KVA		

35	No. of 4-W & 2-W Parking with 25% EV	4-Wheelers – 3103 Nos, EV charging points- 776 nos. 2-Wheeler – 207 nos, EV charging points- 52 nos.																																																
36	No. & capacity of Rain water harvesting tanks /Pits	954 cu.m.																																																
37	Project Cost in (Cr.)	Rs.981 cr																																																
38	EMP Cost	<p>Construction Phase Cost:</p> <table border="1"> <thead> <tr> <th>Particulars</th> <th>Details</th> <th>Capital Cost in Rs</th> <th>Recurring cost in Rs/year</th> </tr> </thead> <tbody> <tr> <td>Air Environment</td> <td>Water sprinkling, green belt development, covered storage area</td> <td>8.85</td> <td>91.33</td> </tr> <tr> <td>Noise Environment</td> <td>Noise barricades and green belt developments</td> <td>18</td> <td>1</td> </tr> <tr> <td>Water Environment</td> <td>Mobile Toilets, Mobile STP drainage with sedimentation tanks</td> <td>1.5</td> <td>6</td> </tr> <tr> <td>Good health practices</td> <td>Site sanitation and health care</td> <td>0.5</td> <td>2</td> </tr> <tr> <td>Environment monitoring</td> <td>Air, water, noise soil monitoring during construction phase</td> <td>-</td> <td>2</td> </tr> <tr> <td>Green Belt Development</td> <td>Tree Plantation during construction phase</td> <td>6</td> <td>1</td> </tr> <tr> <td>Total</td> <td></td> <td>34.85</td> <td>103.33</td> </tr> </tbody> </table> <p>Operation Phase Cost:</p> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Particulars</th> <th>Capital Cost (Rs. in Lacs)</th> <th>O & M Cost (Rs. in Lacs)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>STP</td> <td>261</td> <td>53</td> </tr> <tr> <td>2.</td> <td>LFD</td> <td>35</td> <td>-</td> </tr> <tr> <td>3.</td> <td>Solid Waste Management</td> <td>60</td> <td>16</td> </tr> </tbody> </table>	Particulars	Details	Capital Cost in Rs	Recurring cost in Rs/year	Air Environment	Water sprinkling, green belt development, covered storage area	8.85	91.33	Noise Environment	Noise barricades and green belt developments	18	1	Water Environment	Mobile Toilets, Mobile STP drainage with sedimentation tanks	1.5	6	Good health practices	Site sanitation and health care	0.5	2	Environment monitoring	Air, water, noise soil monitoring during construction phase	-	2	Green Belt Development	Tree Plantation during construction phase	6	1	Total		34.85	103.33	Sr. No.	Particulars	Capital Cost (Rs. in Lacs)	O & M Cost (Rs. in Lacs)	1.	STP	261	53	2.	LFD	35	-	3.	Solid Waste Management	60	16
Particulars	Details	Capital Cost in Rs	Recurring cost in Rs/year																																															
Air Environment	Water sprinkling, green belt development, covered storage area	8.85	91.33																																															
Noise Environment	Noise barricades and green belt developments	18	1																																															
Water Environment	Mobile Toilets, Mobile STP drainage with sedimentation tanks	1.5	6																																															
Good health practices	Site sanitation and health care	0.5	2																																															
Environment monitoring	Air, water, noise soil monitoring during construction phase	-	2																																															
Green Belt Development	Tree Plantation during construction phase	6	1																																															
Total		34.85	103.33																																															
Sr. No.	Particulars	Capital Cost (Rs. in Lacs)	O & M Cost (Rs. in Lacs)																																															
1.	STP	261	53																																															
2.	LFD	35	-																																															
3.	Solid Waste Management	60	16																																															

		4.	Rain Water Harvesting	60	3
		5.	Energy Conservation	186	9
		6.	Landscaping	71	14
		7.	Basement Ventilation	25	5
		8.	Basement Dewatering	2	0.3
		9.	TOTAL	700	100.3
		10.	DMP	179.55	75.65
		11.	Grand Total	879.55	175.95
		Capital Cost- Rs. 879.55 Lakhs, O and M cost- Rs. 175.95 Lakhs			
39	CER Details with justification if any....as per MoEF&CC circular dated 01/05/2018	It will be as per the OM dated 30th September 2020.			
40	Details of Court Cases/litigations w.r.t the project and project location, if any.	NA			

3. The proposal has been considered by SEIAA in its 262nd (Day-3) meeting held on 12th July, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
2. PP to obtain following NOCs & remarks:
a) Tree NOC; b) SWM/ C & D NOC; c) Final HTL NOC.
3. Planning authority to ensure that assured water supply, sewer and storm water drainage network is made available in the vicinity of the project before issuing occupation certificate to the project.
4. PP to submit plan of disposal of excess treated water & reduce discharge of treated water up to 35%; PP to submit undertaking from concerned authority/ agency/third party for use of excess treated water generated in the project.

5. PP to utilize excess treated water in chillers for hotel & commercial building and accordingly, submit revised water balance chart.
6. PP to undertake mitigation measures with respect to air pollution during construction and operation phase of the project. PP to submit details of it and add its cost in EMP.
7. PP to relocate flushing tanks adjacent to the STPs; PP to submit revised layout of STPs with area provided for STPs, 40% open to sky area & tank size details.
8. PP to relocate parking adjacent to OWC & on UGTs.
9. PP to submit architect certificate mentioning that they have provided all required RG as per prevailing DCR on mother earth as per the Hon'ble Supreme Court order.

B. SEIAA Conditions-

1. PP has provided mandatory RG of 3683.68 m² on mother earth. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for – FSI –2,54,544.01 m², Non FSI-189133.36 m², Total BUA-4,43,677.37 m². (Plan approval No. SROT/Growth Centre/2401/BP/ Gharivali Sagaon/501/2023, dated 27/03/2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.

- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and

Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.


- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and

Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Thane.
6. Commissioner, Kalyan Dombivali Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Kalyan.